



Cagliari International Container Terminal

Appendix III Rev. 3.0 – 29.06.2016

Procedures updated to reflect the requirements for verified gross mass (VGM) as defined in regulation IV/2 SOLAS convention 74 resolution MSC 380 (94) dated 21.11.2014 as implemented with “Decreto Dirigenziale del Comando Generale delle Capitanerie di Porto 447/2106”.

The document is subject to any further change as may be determined by actual experience of these legal requirements.



Index

1. GENERAL INFORMATION	4
2. SERVICES DESCRIPTION	4
2.1. Receipt and Delivery Of Containers	4
2.2. Loading and Unloading of Containers into or out of Containerships	5
2.3. Loading and Unloading of Containers into or out of Ro-Ro and Ro-Con Containership.....	5
2.3.1 <i>Ro/Ro basis: Container upon mast.....</i>	5
2.3.2 <i>Ro/Ro basis: Container on deck (garage).....</i>	5
2.4. Transhipment of Containers.....	6
2.5. Shifting of Containers	6
2.6. Inspection.....	6
2.7. Container Subject to Extra Moves	6
2.8. Refrigerated Containers	7
2.9. Hazardous Container Handling and Storage.....	7
2.10. Non-Standard Containers Handling and Storage.....	7
2.11. Uncontainerized Cargo Handling and Storage.....	8
2.12. Other Services.....	8
3. SHIP OPERATIONS.....	8
3.1. Preliminary Ship information	8
3.2. Containership Information for each Voyage.....	9
3.2.1 <i>Long-Term (monthly):.....</i>	9
3.2.2 <i>Weekly (7 days in advance):.....</i>	9
3.2.3 <i>At least 48 hours working before Containership's arrival.....</i>	9
3.2.4 <i>At the latest 36 hours before Containership's arrival.....</i>	9
3.2.5 <i>At the latest 24 hours before Containership's arrival.....</i>	10
3.2.6 <i>Containership's arrival within a regional schedule latest 12 hours prior.....</i>	13
3.3. Idle Time.....	13
3.4. Late Arrivals	13
3.4.1 <i>Late Arrival by Ship.....</i>	13
3.4.2 <i>Late arrivals via Road.....</i>	14
3.5. Customs Clearance	14
3.6. Loading Empty Containers	14
4. RECEIPT AND DELIVERY	15
4.1. General Information.....	15
4.2. Export Receival Time.....	15
4.3. Receiving and Delivery Pre Notice.....	15
4.4. Pre Notice Hazardous Containers.....	16
4.5. Pre Notice Reefer Containers.....	16
4.6. Pre Notice Uncontainerized/Break Bulk Cargo.....	17
4.7. Delivery Order.....	17
4.8. Receiving and Delivery by Truck (Gate in – Gate Out)	18
4.8.1 <i>Container Receiving.....</i>	18
4.8.2 <i>Container Delivery by Truck.....</i>	18
5. SEAL INSPECTION AND REPORTING	19
6. SPECIAL CONTAINERS AND OTHER SERVICES	19
6.1. Hazardous Cargo.....	19
6.2. Reefer Container Additional Services	20
6.3. Uncontainerized Cargo.....	20
6.4. Empty Container Management	21
6.5. Transportation Empty Containers between Terminal/Inland Terminal.....	21
6.6. Inspections Laden Containers	21
6.7. Inspection Empty Container	22
6.8. X-Ray Scanning	22
6.9. Radiometric Inspection.....	22
6.10. Weighing.....	22
6.10.1 <i>Weighing at Gate In.....</i>	22
6.10.2 <i>Weighing at Yard.....</i>	23
6.11. Labelling, Re-sealing Requests.....	23
6.12. Dry Sweeping of Containers.....	23
6.13. Mounting/Dismounting of Bundles or Mafi Bundles.....	23
6.14. Personnel Assistance for Survey.....	23
6.15. OOG Container Measuring.....	23
6.16. Stuffing and Stripping	23
6.17. VAT Warehouse (Deposito IVA).....	24
7. EDI MESSAGES.....	24





8. DAMAGE AND CLAIMS.....	25
8.1. Damage Communication.....	25
8.2. Claim Communication	25
9. GENERAL INFORMATION REQUESTS.....	25
10. WAREHOUSE A4.....	26
11. ISPS REQUIREMENTS AND SAFETY PROCEDURES , TERMINAL AREA ADMITTANCE.....	26
11.1. Security.....	26
11.2. Safety	27
12. SUMMARY OF DATA INTERCHANGE REQUIREMENTS.....	28
12.1. Documents to be issued by User or Terminal Operator	28
13. EDI MESSAGES EXCHANGE	30
13.1. Contractual.....	30
13.2. Non contractual.....	30
14. ATTACHMENT 1: HOLIDAYS, CLOSING TIME, START OPERATION AND GANGS CALLING REQUIREMENT	31
15. ATTACHMENT 2: GENERAL CONDITIONS FOR DISCHARGING/LOADING IMO CARGOES..	32
16. ATTACHMENT 3: TERMINAL DIRECTORY	33



1. General Information

Any orders, instructions and requests received by Terminal Operator from the User, its personnel, its servants, agents or subcontractors (including Ship's Master, Agents, or multi-modal operator), with respect to the provision of Container Terminal Services, shall be considered as orders, instructions and requests of User, unless User clearly specifies who is authorized to send orders, instruction and requests (see paragraph 12 Summary of Data Interchange Requirements).

The Terminal Operator shall only acknowledges orders, instructions and requests that are in compliance with the required Data Interchange Requirements as specified in paragraph 12 Summary of Data Interchange Requirements. Furthermore the Terminal Operator shall recognize updated information provided and is not liable to clarify any information that is in conflict and / or changes from the original provided by the User.

The Terminal Operator shall have the right, but is not obliged, to check the authenticity of signatures on orders, instructions and requests, as well as the authorisation of the signatory of User and its' Servants, Agents or Subcontractors.

All orders, instructions and requests shall be submitted in writing and/or via E-mail or EDI messages (see paragraph 7 EDI Messages). In the event of same submitted verbally, by way of exception, the Terminal Operator shall not be liable for any consequences resulting from the absence of a written order.

The verified gross mass (VGM) is as defined in regulation IV/2 SOLAS convention 74 resolution MSC 380 (94) dated 21.11.2014 as implemented with "Decreto Dirigenziale del Comando Generale delle Capitanerie di Porto 447/2106".

The verified gross mass (VGM) of Containers shall be received by the Terminal Operator only from the User, by EDI messages

The Terminal Operator shall not assume any liability with respect to Containers loaded, unloaded, shifted, transported, and handled at the Container Terminal and to their good order and condition where a wrong declaration of Cargo has been made(e.g. wrong IMO-class, weight, insufficiency or inadequacy of marks or insufficiency of packing) or latent defects of the Containers or Cargo.

2. Services description

2.1. Receipt and Delivery Of Containers

For receiving or delivering of full or empty Containers to be loaded or unloaded into or from Ship, into or out of the Container Terminal on road chassis

- (a) Receipt and delivery of Containers at the gatehouse and all clerical work associated with receiving/delivering.
- (b) Reporting of external visible damage to Containers and preparing interchange receipts (EIR) for such damaged Containers.
- (c) Inspection of seals, wiring, and presence of CSC/ACEP plates.
- (d) Reporting of Container movements into or out of the Container Terminal.
- (e) Unloading Containers off chassis or loading Containers onto chassis.
- (f) Acceptance of export Containers strictly limited to one Ship in the same service.



Working hours for receiving/delivering of Containers at the Container Terminal shall take place in accordance with paragraph 14 Attachment 1: Holidays, Closing Time, Start Operation and Gangs Calling Requirement.

2.2. Loading and Unloading of Containers into or out of Containerships

For the loading and unloading of Containers, full or empty, into or out of Containerships

- (a) Loading or Unloading Containership plan of each Container accordingly with User Instructions
- (b) Movement of Containers from Containership's cell/deck to wharf and vice versa
- (c) Movement of Containers from wharf to stacking area and vice versa.
- (d) Tallying of Containers, completing stowage plan immediately after completion of operation and reporting.
- (e) Reporting of Container movements into and out of the Containership.
- (f) Reporting of external visible damage to Containers while loading and unloading.
- (g) Lashing or unlashng of deck Containers (material will be furnished by User).

2.3. Loading and Unloading of Containers into or out of Ro-Ro and Ro-Con Containership.

For the loading and unloading of Containers, full or empty, into or out of RoRo and/or RoCon Containerships

2.3.1 Ro/Ro basis: Container upon mafi

- a. Movement of mafi in or out Ro/Ro Containership's deck to wharf and vice versa
- b. Movement of Container from mafi to trailer and vice versa
- c. Movement of Container from wharf to stacking area and vice versa
- d. Reporting of Container movements into and out of the Ro/Ro Containership's.
- e. Reporting of external visible damage to Containers while loading and discharging. A list with numbers of Containers found damaged upon discharging will be furnished as soon as completed cargo operations

2.3.2 Ro/Ro basis: Container on deck (garage)

- a. Movement of Container from ro/ro's deck onto trailer
- b. Movement of Container from trailer to wharf and vice versa
- c. Movement of Container from wharf to stacking area and vice versa



- d. Reporting of Container movements into and out of the Ro/Ro Containerships
- e. Reporting of external visible damage to Containers while loading and discharging

2.4. Transhipment of Containers

Loading and unloading of Containers, full or empty, in transhipment from one Ship to another

- a. Loading and unloading of Containers into/from on carrier/pre carrier Ship suitable for Container transport.
- b. Movement of Containers from stacking area to wharf and vice versa.
- c. Reporting of Container movements into and out of on carrier/pre carrier Ship.

2.5. Shifting of Containers

Shifting Bay to Bay: Movement of Containers, full or empty, within the same bay of a Containership and/or Ro-Con

Restow: Movement of Containers, full or empty, from Containership's and/or Ro-Con Containership's cell/deck to quay and restowing in Containership's cell/deck,

2.6. Inspection

Movement of Containers for the purpose of cargo inspection by the competent authority (e.g. customs office). This movement include extra moves and transportation to/from the inspection area. Operational procedures are described in paragraph 6.6 Inspections Laden Containers .

2.7. Container Subject to Extra Moves

Containers are subject to extra moves once initially received and stacked in the Terminal, excluding those for cargo inspection (see 2.6 Inspection). Such extra moves may be the result of:

- a. Lack of documents/information
- b. Late arrivals if all details were not known and agreed at closing time (see also Paragraph 3.4 Late Arrivals)
- c. Change of weight and/or VGM status
- d. Change of Ship
- e. Status change, such as change of import delivery status, change from operating reefer to non-operating one or vice versa
- f. Change of destination
- g. Shifting between User's and leasing company's stacks
- h. Other causes, attributable to User acts or defaults



2.8. Refrigerated Containers

For reefer Containers under refrigeration at the Container Terminal, the following specific services are provided:

- a. Attaching and detaching of electrical plugs of the reefer Container at the reefer stacking area
- b. Costs of furnishing electric outlets and power consumed
- c. Recording, checking temperature and air ventilation status of the reefer Container every 12 hours whilst in the Container terminal and also on receiving and delivering
- d. For those reefers equipped with GRASP system, Recording, checking temperature and air ventilation status of the reefer is continuously online monitoring for 24 hours
- e. Reporting faults immediately on discovery to User's representative and general co-ordination of any requirements.

Operational procedures are described in paragraph 4.5 Pre Notice Reefer Containers, 6.2 Reefer Container Additional Services

2.9. Hazardous Container Handling and Storage

For Container containing Hazardous cargo, the following specific services are provided:

- a. Yard space and facilities in accordance with regulations as specified by the local competent authority
- b. Check at the gate of Labelling
- c. Re-labelling or label removal on User Request

Operations procedures are described in paragraphs 4.4 Pre Notice Hazardous Containers, 6.1 Hazardous Cargo, 6.10 Weighing, , 15 Attachment 2: General Conditions for Discharging/Loading IMO Cargoes.

2.10. Non-Standard Containers Handling and Storage

For Non Standard Containers (Container whose cargo height and /or length and/or width or damaged Container structure), requires special attachment to the spreader, i.e. chains, slings, etc. to handle, the following specific services are provided:

- a. Yard space, facilities, equipment, people, lashing devices, in accordance with regulations as specified by the local competent authority
- b. OOG dimensional measures and reporting on User demand
- c. Checking and reporting lashing and securing of Containers not stuffed under Terminal Operator responsibility

Operations procedures are described in paragraphs 6.3 Uncontainerized Cargo, 6.15 OOG Container Measuring.



2.11. Uncontainerized Cargo Handling and Storage

For Uncontainerized Cargo the following specific services are provided:

- a. Yard space, facilities, equipment, people, lashing devices, in accordance with regulations as specified by the local competent authority

Operations procedures are described in paragraphs 4.6 Pre Notice Uncontainerized/Break Bulk Cargo, 6.3 Uncontainerized Cargo.

2.12. Other Services

Terminal Operator can perform additional services as specified in paragraph 6 Special Containers and Other Services.

3. Ship Operations

3.1. Preliminary Ship information

Berth Planning cict.berthplanning@contshipitalia.com

In order to ensure an efficient planning of the operations of the Terminal Operator, User shall provide all relevant technical details, including a complete General Arrangement Plan with a minimum information of “Bay, Row, Tier” of each Ship well in advance of the first call of such Ship at the Container Terminal in addition to the specified information below.

SHIP INFORMATION	DIMENSIONS	CAPACITY
a) Ship's name	a) L.O.A	a) Max. Container Cap (teus)
b) Owner	b) Breadth Moulded	b) Max. Container Cap (feus)
c) Nationality	c) Depth Moulded	c) Reefer Socket
d) Port of registry	d) Max. Height Above Keel	d) Haz. Cargo Hold (bay): (e.g. 1,2 e 3)
e) Official N°	e) Upper Deck Line Above Keel	e) Max. 20' on deck
f) Classification society		f) Max. 40' on deck
g) Type of Ship (i.e. 6,900 teus Class Container Carrier)	f) Load Line Draft	g) Max. 20' under deck
h) Call Sign	g) Top Fresh 	h) Max. 40' under deck
i) IMO id n° (L.R. n°)	h) Fresh 	i) Max. 40' HC under deck (without losing space)
	i) Tropical 	j) Container stack weight.†
j) Satellite Tel/fax	j) Summer 	• On deck 20' – 40'
	k) Winter 	• Under deck 20' – 40'
	l)	• Max 45 on Deck
k) email	m) International G.R.T.	• AT Bays
	n) International N.R.T.	k) Hatch Cover Stack Weights
		l) Stack Weights Hold
	o) Bow Thruster	



3.2. Containership Information for each Voyage

Berth Planning cict.berthplanning@contshipitalia.com

In order to ensure an efficient planning of the operations of the Terminal Operator, User shall inform in writing via email or via EDI (see paragraph 7 EDI Messages and 13 EDI messages exchange) the Terminal Operator schedule and planning information of Containerships as follows:

Scheduling Information

3.2.1 Long- Term (monthly):

- a) Service/User/owner name
- b) Container Ship's name
- c) Voyages code
- d) Port Rotation
- e) Day of call

3.2.2 Weekly (7 days in advance):

- a) Service/User/owner name
- b) Container Ship name
- c) Voyage code
- d) Day of call
- e) ETA (Expected time of arrival)
- f) Pre carrier Ship name and voyage number
- g) On carrier Ship name and voyage number
- h) Containers / teus quantities to be loaded, discharged and restowed.

The User is responsible towards Terminal Operator for co-loaders timely submission of respective Cargo forecasts

3.2.3 At least 48 hours working before Containership's arrival

Import and export stowage plan intended for the specific call on a bay, row and tier basis (Movins Instructions if available see paragraph 7 EDI Messages) containing:

- a) Container type, standard, non standard type, Reefer or Hazardous
- b) special Cargo remarks
- c) Restows

Variation deriving from activities carried out in Mediterranean ports to be communicated as soon as practical, no later than 24 hours.

Planning Information 36 hours in advance

3.2.4 At the latest 36 hours before Containership's arrival

- a) ETA (Expected time of arrival) confirmation



- b) Moves Update on the expected Amount of Containers for Discharging/Loading , Hazardous Containers, reefer Containers, OOG , Uncontainerized Cargo, shiftings and restows
- c) Containership draft expected on arrival

Load Information - Loading List

Documentation cictdocumentation@contshipitalia.com

Information shall be sent (via EDI) to competent office, before Ship's arrival.

It should contain :

- a) ID number and type of Container
- b) User booking number
- c) size, type, weight and **and VGM qualifier**
- d) Final Port of discharge
- e) Port of Transhipment, if any
- f) In case of Hazardous Container: IMO class, UN number (See also Paragraph 4.4 Pre Notice Hazardous Containers)
- g) In case of reefer or insulated Containers: temperature, ventilation, humidity, settings, for Reefers Containers to be connected to the reefer plug. (See also Paragraph 4.5 Pre Notice Reefer Containers)
- h) For Uncontainerized Cargo all relevant information to allow the terminal to safely handling such cargo (See Paragraph 6.3 Uncontainerized cargo)

All Containers declared for loading should be compliant with all legal and customs obligations required by the local competent authority.

The load list shall be provided by the User no later than 36 hours before Ship's arrival, whereas amendments will be accepted until 12 hours prior (see paragraph 3.2.6 Containership's arrival within a regional schedule latest 12 hours prior).

Should there be Containers for which no compliance by the competent authority is available, or compliance is incomplete the User shall advise the Terminal Operator of this status, whereby such Containers will not be planned for loading, pending final instructions from the User. If no such instructions are received from the User, then they shall not be loaded on board the nominated Ship, at the sole risk and responsibility of the User. See also paragraph 3.4 Late Arrivals .

In recognition of IMO-SOLAS amendment chapter VI dated 21.11.2014 effective July 1st 2016 as implemented with "Decreto Dirigenziale del Comando Generale delle Capitanerie di Porto 447/2106", the Terminal Operator will only proceed to load Containers that are finally provided with VGM qualifier.

Planning Information 24 hours in advance

3.2.5 At the latest 24 hours before Containership's arrival

At least 24 hours before Ship's arrival , or 24 hours before start of weekend for Ships arriving on Saturdays, Sundays or holidays:



- Information update
 - a) ETA (Expected time of arrival) if changed
 - b) Amount of Containers for Discharging/Loading, Hazardous Containers, reefer Containers, OOG, Uncontainerized Cargo, shiftings and restows
 - c) Ship draft expected on arrival and departure
 - d) Security information (see paragraph 11 ISPS Requirements and Safety procedures , Terminal Area admittance)

- Import bayplan on a bay, row and tier basis (Baplie file see par. 7 EDI Messages), complete with all the vital details regarding Containers on board. The following is an indication of minimum information required:
 - a) Position on board of each single Container (bay, row and tier)
 - b) Container ID number, type, size, weight of Container and VGM qualifier
 - c) Discharge port, with confirmation of Containers that shall be discharged by the Terminal Operator, both for import and transhipment Containers
 - d) Confirmation of Containers to be shifted on board or restowed (a list of Container to be shifted or restowed is also required)
 - e) In case of Hazardous Container: IMO class, UN number (See also Paragraph 4.4 Pre Notice Hazardous Containers)
 - f) In case of reefer or insulated Containers: temperature, ventilation, humidity, settings, for reefers or insulated Containers to be connected to the reefer plug. (See also Paragraph 4.5 Pre Notice Reefer Containers)
 - g) For OOG Container confirmation of over width/over length/over height details
 - h) For Uncontainerized Cargo all relevant information to allow the Terminal Operator to safely handling such cargo (See Paragraph 6.3 Uncontainerized Cargo)

- Updated Export stowage plan intended for the specific call on a bay, row and tier basis complete with all the information needed by the Terminal Operator to prepare the Containership loading plan.
 - a) Stow Position on board where to stow the cargo to be loaded complete with POD and weight class indication
 - b) Stow Position for Containers to be shifted or restowed
 - c) Stow Position of Hazardous Containers with full compliance of segregation rules
 - d) Stow Position for reefer Containers
 - e) Stow Position for OOG Containers

Special Loading Requirements

Ship Planning vesselplan.cict@contshipitalia.com , Documentation cictdocumentation@contshipitalia.com



Special remarks such as late arrival, under deck stowage, on deck stowage, far away from hot/cold, under sea level, protected stowage etc., shall be sent 24 hours prior Ship arrival /before the Container enters the Container Terminal to the Documentation Office.
The message shall be sent by Users and must contain User booking number, ID number, Ship, POD, weight.

In case of discrepancies between orders sent by the User and their agency, the instructions sent by the User shall prevail.

Resources Planning

Berth planning , cict.berthplanning@contshipitalia.com

Adherence to the timetable (paragraph Attachment 1: Holidays, Closing Time, Start Operation and Gangs Calling Requirement) is vital to enable terminal to properly plan resources in accordance with agreements in force.

The Terminal Operator, in order to define the Containership working program, shall receive the following information:

- ETA (Expected time of arrival)
- Loading/discharge/transshipment moves
- Number of cranes deployable according with the Containership's stowage plan and the loading/discharging sequences

The Terminal Operator shall then plan the required resources and shall provide confirmation of the Containership working programme, indicating the agreed Start/End of operations time and the Estimated Departure Time (ETD). Once the Containership working programme has been defined:

- For any amendment requiring a change of planned resources , Penal Volumes may be applied
- For any delay in either in the arrival of a Containership or delays during the agreed Containership working programme, then idle time clause may be applied

The berthing and unberthing time is granted to the Ship only for the time required to perform loading and discharging operation. Any time that the Ship wishes to remain alongside, will not be accepted unless previously and specifically agreed with the Terminal Operator.
The Terminal Operator reserves the right to ensure that the Ship vacates the berth at Ship's expenses after completion of loading and discharging operations.

Discharge Information - Discharge List

Documentation cictdocumentation@contshipitalia.com

Information shall be sent (by EDI or email) to Documentation (Ship Documentation), at least 24 hrs before Ship's arrival or 24 hrs before weekends or holidays.

It should contain:

- a) Pre carrier Container Ship name and voyage number
- b) On carrier Container Ship name and voyage number
- c) ID number and type, size, Weight of Container and VGM qualifier



- d) Final destination and Port of Destination.
- e) Means of transport and/or delivery (truck, feeder Ship)
- f) In case of Hazardous Container: IMO class, UN number (See also Paragraph 4.4 Pre Notice Hazardous Containers)
- g) In case of reefer or insulated Containers: temperature, ventilation, humidity, settings, for reefers or insulated Containers to be connected to the reefer plug. (See also Paragraph 4.5 Pre Notice Reefer Containers)
- h) For Uncontainerized Cargo all relevant information to allow the terminal to safely handling such cargo (See Paragraph 6.3 Uncontainerized Cargo)

Transshipment Connection

Documentation cictdocumentation@contshipitalia.com

Transshipment Containers shall be discharged at least 24 hours before arrival of connecting Ship, unless otherwise agreed by the Terminal Operator.

3.2.6 Containership's arrival within a regional schedule latest 12 hours prior

If the time and distance from a previous port is less than 24 hours, the User shall provide the final information (see paragraph 3.2.5 Planning Information 24 hours in advance) no later than 12 hours prior to the scheduled arrival of a Containership. Any consequences for changes in the agreed Containership working programme shall be for the account of the User.

3.3. Idle Time

Idle Time shall be considered on the account of the User as follows:

- a) Ship's arrival after commencement of ordered shifts/agreed start operation's time
- b) Any incident beyond the control of the Terminal Operator on board the User's Ship hindering operations.
- c) Waiting for Cargo and orders

3.4. Late Arrivals

3.4.1 Late Arrival by Ship

Documentation cictdocumentation@contshipitalia.com

The Terminal Operator may accept late arrivals already declared on the final loading information (see paragraph Load Information - Loading List) sent by User, provided that:

- a) Containers are discharged maximum 6 hrs. prior to the commencement of operations of the on-carriage Ship
- b) Containers are compliant with all legal and customs obligations as required by the local competent authority within the time frame specified in paragraph Load Information - Loading List
- c) Specific stowage instructions are provided by User that do not delay the agreed Containership working programme
- d) Late Containers do not exceed 1% of total number of Containers planned for loading



The Terminal Operator may accept late arrivals not present on the final loading information provided by User to connecting Ship already under operations , on case by case basis, provided that:

- a) Containers discharged are compliant with all legal and customs obligations as required by the local competent authority maximum 1 hr. after connection acceptance
- b) Specific stowage instructions are provided by User and do not delay the agreed Containership working programme

Furthermore, User is responsible for sending final changes to load instructions to the Terminal Operator, latest 12 hours before Ship's arrival. All Containers declared for loading should be compliant with all legal and customs obligations required by the local competent authority.

3.4.2 Late arrivals via Road

Documentation cictdocumentation@contshipitalia.com

The Terminal Operator may accept late arrivals already declared on the final loading information (see paragraph Load Information - Loading List) on a case by case basis, provided this does not interfere with the agreed Containership working programme, and may upon the User's specific request, receive Containers bound to the nominated Ship beyond the agreed closing times, provided that:

- a) Containers are scheduled to arrive no later than 6 hours prior Ship arrival
- b) Late Containers do not exceed 1% of total number of Containers planned
- c) Containers are compliant with all legal and customs obligations as required by the local competent authority and ready for loading within the above mentioned deadline
- d) User request contains all data needed to enable receiving of the Container into the Container Terminal
- e) Specific Stowage instructions are provided by User and do not delay the agreed Containership working programme
- f) Adherence to all procedures listed in Paragraph 4 "Receipt and Delivery" acceptance of export Containers"

3.5. Customs Clearance

Documentation cictdocumentation@contshipitalia.com

Export Containers must be load ready and compliant with all legal and customs obligations as required by the local competent authority within the timeframe defined in Paragraph 3.2.4 Load Information - Loading List. The Terminal Operator is not responsible for the short shipment of Containers that are not customs cleared (defined as being the time reported that the local competent authority releases the Container for export). The User acknowledges and accepts that Terminal Operator cannot load Containers and cargo without this clearance as provided for by applicable statutory law and regulations.

3.6. Loading Empty Containers

Documentation cictdocumentation@contshipitalia.com , Yard Planning yardplan.cict@contshipitalia.com

In principle, empty Containers may not be stored at the Container Terminal, except those empty Containers unloaded from and awaiting loading into User's Ships.



Empty Containers are stacked in the Container Terminal in a block stowage by size and type only.

If a particular selection of empty Containers is required (e.g. equipment off-hired, for sale, damaged, heavy payload, cold treatment, special pre-fix, etc.), such request shall be sent to the competent office five working days in advance specifying the requirements. Shifting in the yard, needed in order to accomplish with the request, may be charged.

When Containers are required to be transferred from Inland Depots /or from separate stacks of segregation, requiring transport / carriage by The Terminal Operator, such requests shall be submitted five working days prior Ship's arrival.

4. Receipt and Delivery

4.1. General Information

User shall provide to Terminal Operator one working day's notice prior to delivering export Containers, Non-Standard Containers or Uncontainerized Cargo to (stating booking reference and/or Container number, name of Ship, destination and all other vital details including VGM) and withdrawing import Containers Non-Standard Containers or Uncontainerized Cargo from the Container Terminal, with indication of expected truck arrival time.

4.2. Export Reveal Time

Documentation cictdocumentation@contshipitalia.com , Gate cictgate@contshipitalia.com

Admission of Export Containers is based on the enclosed table (Attachment 1: Holidays, Closing Time, Start Operation and Gangs Calling Requirement) advising shows the closing dates and time for the acceptance of Containers. This may be amended from time to time at the sole discretion of the Terminal Operator.

4.3. Receiving and Delivery Pre Notice

Documentation cictdocumentation@contshipitalia.com , Gate cictgate@contshipitalia.com

For Import and Export Container, the User shall provide the Terminal Operator via EDI, e-mail or www.contshipitalia.com portal with the following information at least 24 hours before Container arrival:

- a) Pre carrier Ship (for Import Container)
- b) On carrier Ship (for Export Container)
- c) Booking number
- d) POD (Port of Destination)
- e) Container general data, size, type, weight and VGM qualifier, if available (export Containers)

User is responsible for correctness and accuracy of information

Containers for which pre-acceptance booking information is missing will be not be accepted into the terminal until such time as the information is corrected / provided. Terminal Operator shall not be held responsible for incorrect information.

For your guidance, this is the link where to download the file:

<http://www.contshipitalia.com/reserved/Prenotazione.zip>



4.4. Pre Notice Hazardous Containers

Documentation cictdocumentation@contshipitalia.com

User's request for the acceptance or delivery of Hazardous Containers shall be sent to Documentation department at least 24 hours before Container's expected arrival or withdrawal.

The message must include all relevant information:

- a) Container number, User booking number IMO class, UN number, Flash point, weight
- b) Pre carrier Ship name and voyage number
- c) Port of discharge
- d) On carrier Ship name and voyage number
- e) Delivery mode and time

Each booking is allocated an acceptance number by local competent authority (that may also specify a date of entrance), to enable the Container to enter the Container Terminal.

Please note Containers will not be received into the Container Terminal where an acceptance number is missing / incorrect, until such time as the information is corrected / provided. The Terminal Operator shall not be held liable for claims, errors, omissions. Cut off time is 24 hrs. before Ship's arrival.

For Import and Transshipment Containers Terminal Operator may need the "Dangerous Cargo Declaration" and/or the "Special IMO Cargo List" as soon as available by the User's agency.

4.5. Pre Notice Reefer Containers

Documentation cictdocumentation@contshipitalia.com , Reefer dept. cictreefer@contshipitalia.com

For reefer Container, the User or designated agent (forwarders and/or Shipping Line) shall issue booking/delivery order to Terminal Operator via email to the competent office stating the following compulsory information at least 24 hours before Container delivery or withdrawal.

For each reefer Container a "Cooling Order" shall be sent directly to the competent office 24 hours before Container's arrival at the Container Terminal and not later than 17.00 hrs.. the day prior to the expected receipt at the Container Terminal or delivery from the Container Terminal.

The Cooling Order shall contain:

- a) User Booking number
- b) Container ID number
- c) Size and type of Container weight
- d) Characteristics of the Cargo
- e) Set temperature and range (Min./Max.)
- f) Ventilation and humidity setting (if required)
- g) On carrier Ship and voyage
- h) receiving/delivery mode
- i) Port of discharge

If the above is not complied with the Container will not be accepted or delivered.



User is responsible for correctness and accuracy of information. Terminal Operator shall not be held responsible for incorrect information.

Please note Containers for which pre-acceptance booking information are not available, such Containers will be not be accepted into the Container Terminal until such time as the information is corrected / provided.

For export reefer Containers Cut off time is 24 hrs. before Ship's arrival.

4.6. Pre Notice Uncontainerized/Break Bulk Cargo

Documentation cictdocumentation@contshipitalia.com ,
Customer Service cict.customerservice@contshipitalia.com

Users shall agree the date of receipt / delivery with the competent office. At least 24hrs before agreed date of receipt / delivery the Users shall send a pre-notice via email, fax with specific containing:

- a) ID number provided by terminal (e.g. GCXX XXXX)
- b) Relevant identification codes (e.g. marks, labels, numbers, etc.)
- c) Time of arrival
- d) See also paragraph 6.3 Uncontainerized Cargo for quotation procedure

In case of a variation on the operations originally agreed and quoted, a complete re-evaluation process by the competent office shall be required.

Cut off time is 24 hrs before Ship's arrival.

4.7. Delivery Order

Documentation cictdocumentation@contshipitalia.com , Gate cictgate@contshipitalia.com

This document shall be delivered (by EDI, email, Fax or by hand) to the competent office not later than 17:00 hrs. of the day prior the delivery of an import Container. At the same time, or immediately after the presentation of a delivery order to the competent office, the customs forwarder shall present to the Terminal Operator "Acceptance of the import declaration", stating that Container has been cleared. The import Container is therefore free of any legal requirements and delivery arrangements can be made. Note that if one of above documents is not provided, the trucker cannot enter the Container Terminal.

Delivery Order should contain:

- a) Name of Ship
- b) Discharging date
- c) Number of Bill of Lading (not compulsory)
- d) Customs forwarder
- e) Container(s) ID (or Break Bulk ID Code)
- f) Delivery Order expiring date
- g) In case of hand delivery date and signature of User agency representative



4.8. Receiving and Delivery by Truck (Gate in – Gate Out)

Documentation cictdocumentation@contshipitalia.com , Gate cictgate@contshipitalia.com

4.8.1 Container Receiving

On arrival at the Container Terminal, the trucker shall produce at the competent office a transport document containing:

- a) User Booking number
- b) Container ID number
- c) In case of Hazardous Container, Harbour Master' acceptance number is needed
- d) Evidence of weight certificate or a pre-advised request to weigh Container (if VGM has not been submitted by the User by the time the truck first reports its' arrival at the gate)

In case of data contradictions or discrepancies between trucker's documentation and booking registration, the instructions received by the User shall prevail.

Containers for which the pre-acceptance booking information has not been submitted by the User (see Paragraph 4.3 Receiving and Delivery Pre Notice - 4.4 Pre Notice Hazardous Containers - 4.5 Pre Notice Reefer Containers - 4.6 Pre Notice Uncontainerized/Break Bulk Cargo) will not be accepted into the Container Terminal until such time as the information is corrected / provided

If a VGM has not been submitted by the User by the time that the truck first report its arrival at gate-in and a pre-advised request to weigh has not been received and the trucker has no evidence of a weight certificate, the Container is accepted for gate-in. In case a weighing service is requested after gate in it will be provided as per paragraph 6.10.2 Weighing at Yard

An Equipment Interchange Receipt (EIR) will be issued at Terminal Operator Gate and one copy is given to the trucker.

The Terminal Operator will only accept Containers and Cargo for one export sailing.

If Containers entering the gate do not comply with standard requirements (including but not limited to an expired CSC plate, missing ACEP, incorrect seals and / or labels, leakage or overweight), the Terminal Operator personnel shall inform the User. Such Containers shall be isolated at the sole risk and expense of the User and not handled until such time as the requirements are corrected.

4.8.2 Container Delivery by Truck

For import Container withdrawal:

- a valid delivery order has to be issued
- the Container must be custom cleared

A limited number of Containers may be agreed for urgent import delivery during Ship operations provided that all import procedures have been complied with.



5. Seal Inspection and Reporting

Container Seals

User shall affix the seal on the door on the right side of a Container.

Technical Specification

All seals shall be in full compliance with international standard (ISO PASS 17712)

The Terminal Operator shall inspect one seal per Container.

Seal Numbers

User shall at all times provide the Terminal Operator with all details, against which the Terminal Operator shall verify same.

Inspection and Reporting

Receival and Delivery: Presence, integrity and seal number are inspected. Details are provided in the Gate in and Gate report sent to the User by the Terminal Operator via EDI (CODECO).

Loading / Discharging: Presence of the seal from the details provided by the User and confirmed in the Loading/Discharge report sent to the User by the Terminal Operator via EDI (COARRI).

Missing / Replacement Seals

The Terminal Operator shall replace missing / broken seals upon discovery during the inspection process. The Terminal Operator shall inform the User with the details of the revised seal.

Additional Services

Additional services may be performed as agreed from time to time between the User and the Terminal Operator.

6. Special Containers and Other Services

6.1. Hazardous Cargo

Documentation cictdocumentation@contshipitalia.com

Containers must bear on all 4 external sides the relevant labels indicating the correct IMO class of the Container. This must be reconciled with all pre-registration of booking information and documentation accompanying the Container. Enclosed table (see paragraph 15 Attachment 2: General Conditions for Discharging/Loading IMO Cargoes) shows the maximum quantity of IMO Containers which can be accepted into the Container Terminal. The entrance and/or discharging of these Containers into the Container Terminal must be agreed by email with the Container Control. See paragraph 4.4 Pre Notice Hazardous Containers.

Harbour Master's authorisation is needed to handle Containers from/to Ship.



6.2. Reefer Container Additional Services

Documentation cictdocumentation@contshipitalia.com , Reefer dept. cictreefer@contshipitalia.com

The services here below can be provided only after confirmation from the competent office .

All requests, inclusive of all the relevant details and information, shall be sent via @-mail or fax at least one working day prior the required service.

Reefer Container Services:

- a) Pre-cooling
- b) PTI and Set Point Empty
- c) Set Point Empty
- d) Data Download
- e) Coordination for reefer Container Repairs
- f) Attaching/Detaching Clip-On Units
- g) Attaching/Detaching Generator Set

6.3. Uncontainerized Cargo

Customer Service cict.customerservice@contshipitalia.com

All requests regarding Uncontainerized Cargo shall be sent to the Customer Service department by email or fax much in advance (at least 1 week) before cargo arrival. Request shall contain:

- a) Detailed technical description of Cargo and possible packing
- b) Sketches of Cargo and associated parts, also indicating lashing and lifting points
- c) Exact gross weight of the pieces and dimensions
- d) Loading/Discharging (on flat rack, platform, open top or else), lifting and lashing instruction
- e) Receiving/delivering instruction, date in which operations shall take place
- f) name of pre and on carriage Ship

The competent office will confirm the request and quote costs for the operation.

The User shall confirm its' acceptance in writing and confirm the expected entrance date with the competent office and shall quote on all communications / documentation a unique ID / Reference Number, assigned by the Terminal Operator. All communications following the acceptance of Cargo shall be sent either to the Customer Service department.

All operations concerning the receiving/delivery to / from the Container Terminal of the Cargo and its loading/discharge onto the Ship will be supervised by Terminal Operator personnel; actual time required for the loading/discharging and receiving/delivery operations will be validated by Terminal Operator personnel; a representative from the Ship or a Surveyor are invited to attend if so required by the User.

Operation details and communications related to Shipment should also be sent to Documentation and Ship planning office.



6.4. Empty Container Management

Documentation cictdocumentation@contshipitalia.com , Yard Planning yardplan.cict@contshipitalia.com

In principle, empty Containers may not be stored at the Container Terminal, except those empty Containers unloaded from and awaiting loading into User's Ship.

Empty Containers are stacked in the Container Terminal in block stowage, segregated by size and type only.

Any specific segregation requirement by the User must be communicated and agreed with the Terminal Operator before the arrival in the Container Terminal of the unloading Containership or prior to a Container's Receiving and Delivery.

For any particular segregation in the yard (e.g. equipment off-hired, for sale, damaged, heavy payload, cold treatment, special pre-fix, etc.) a request shall be sent to the competent office specifying the requirements.

User acknowledges and accepts that empty Containers are delivered on random basis. In case specific criteria of any kind is required, User shall provide a minimum notice period of 5 working days to the Terminal Operator.

6.5. Transportation Empty Containers between Terminal/Inland Terminal

Documentation cictdocumentation@contshipitalia.com

The services here below can be provided only after confirmation from the competent office.

The User has to send a specific request no later than 15.30 hrs. the day prior the required operation.

6.6. Inspections Laden Containers

Documentation cictdocumentation@contshipitalia.com

User shall send the inspection request filling the form (available on demand at the Container control office) specifying if the Container is ordinary Hazardous or has been subject to previous fumigation and send it by fax/by email directly to the competent office not later than 15.30 hrs. the day prior the required Container inspection.

The User shall declare whether or not the opening of the Container may pose to any particular risk. This should be included in the request form document.

Whether any risk exists, the opening of the Container can be made only after prior control by the port chemist and in compliance with any requirements specified therein.

In case of inspection to the exterior of Container or to the seal, irrespective whether full or empty request shall be sent to competent office.

When opening any Container the User shall provide all relevant documentation demonstrating that all the custom formalities have been performed.



Please note that inspection requests for export Containers shall render such Containers as not being available for loading until such time as they are cleared for loading by the local competent authority.

6.7. Inspection Empty Container

Documentation cictdocumentation@contshipitalia.com

The provision of inspection of empty Containers shall be made by mutual agreement between The Terminal Operator and the User and is subject to agreement on specific requirements.

6.8. X-Ray Scanning

Documentation cictdocumentation@contshipitalia.com

The User shall send a specific request no later than 15.30 hrs. the day prior the required service.

6.9. Radiometric Inspection

Documentation cictdocumentation@contshipitalia.com

The User shall send a specific request no later than 15.30 hrs. the day prior the required service.

6.10. Weighing,

Documentation cictdocumentation@contshipitalia.com

Terminal Operator shall :

- Provide weighing services upon a specific order received in writing by any party requesting the service
- Ensure that such requests of weighing services shall be fit for the purpose of VGM in compliance with IV/2 SOLAS convention 74 resolution MSC 380 (94) dated 21.11.2014 as implemented with “Decreto Dirigenziale del Comando Generale delle Capitanerie di Porto 447/2106”
- Perform a weighing service acting as a sub-contractor of party requesting the service but will not certify and sign “on behalf of” for the purpose of VGM
- Send the weight details (weight certificate) to the requesting party

6.10.1 Weighing at Gate In

The User shall send a specific request no later than 15.30 hrs. the day prior the required service.

Weighing service will be provided at Gate in via truck (see paragraph Container Receiving) only if the weighing request has been submitted as per above timing and the Container has not yet arrived at Gate In.

In case the request is received late (after 15.30 hrs. previous day) and/or the Container has already entered into the Container Terminal the weighing service will be provided as per paragraph 6.10.2 below.



6.10.2 Weighing at Yard

Once the Container has entered into the Container Terminal and has been stacked into the yard, the weighing service is provided upon specific request sent by the User or Cargo no later than 15.30 hrs the day prior the required service

6.11. Labelling, Re-sealing Requests

The User shall send a specific request no later than 15.30 hrs. the day prior the required service

6.12. Dry Sweeping of Containers

Documentation cictdocumentation@contshipitalia.com

The services here below can be provided only after confirmation from the competent office. The User shall send a specific request no later than 15.30 hrs of the day prior the required service.

6.13. Mounting/Dismounting of Bundles or Mafi Bundles

Documentation cictdocumentation@contshipitalia.com , Yard Planning yardplan.cict@contshipitalia.com

The services here below can be provided only after confirmation from the competent office. The User shall send a specific request no later than 15.30 hrs of the day prior the required service.

6.14. Personnel Assistance for Survey

Documentation cictdocumentation@contshipitalia.com

The services here below can be provided only after confirmation from the competent office. The User shall send a specific request no later than 15.30 hrs of the day prior the required service.

6.15. OOG Container Measuring

Documentation cictdocumentation@contshipitalia.com

The services here below can be provided only after confirmation from the competent office. The User shall send a specific request no later than 15.30 hrs of the day prior the required service.

6.16. Stuffing and Stripping

Documentation cictdocumentation@contshipitalia.com ,
Customer Service cict.customerservice@contshipitalia.com

The services here below can be provided only after confirmation from the competent office.

The User shall send a specific request no later than 15.30 hrs of the day prior the required service.

Stuffing services do not include weighing for purpose of obtaining the Verified Gross Mass



The Terminal operator may request to inspect the Container to evaluate the operation feasibility. The user shall request the inspection via @-mail, following the inspection procedure (see paragraph 6.6 Inspections).

Once opening Container is completed, Terminal Operator will revert to User with the eventual operation feasibility and relative economic quotation.

After User confirm in writing via @-mail the acceptance of such quotation, he will agree with Terminal Operator a suitable time frame to carry out the Stuff/Strip operation.

When operation is completed, Terminal Operator will send a confirmation notice.

Stuffing services do not include weighing for purpose of obtaining the Verified Gross Mass. Weighing service has to be requested separately. (see paragraph 6.10.2 Weighing at Yard).

6.17. VAT Warehouse (Deposito IVA)

Deposito IVA Office cictdocumentation@contshipitalia.com

Opening time

Mon-Sat: 7.20 - 20.00

Clearing Agent (on behalf of Cargo Receiver) shall provide Deposito Iva Office with all documentation as required by local custom regulations.

The Terminal Operator may provide ,on request of the cargo interests, VAT Warehouse service for Import cargo. Goods introduced into the VAT Warehouse can take advantage of VAT payment suspension until the same are placed in the market according to the Law nr. 28 dated 18/02/1997 (Dlgs. 331/93 art. 50/bis).

7. EDI Messages

All EDI message standards shall be in compliance with UN/EDIFACT-EDI standard messages that may be found at www.smdg.org

“Documentation” Order

1. Loading List
2. Discharge List
3. Delivery order
4. Pre notice Arrival (Truck information or Combination of Container wagon train arriving)
5. Release Order Cooling Order (reefer)
6. Cooling Order
7. Verified Mass (VERMAS)

“Planning” Order

8. Baplie
9. Movins



If the User is unable to comply with the above resulting in the requirement of The Terminal Operator to manually input User data into its' systems, then The Terminal Operator reserves the right to be reimbursed for expenses incurred via a " Missing Edifact Information " Fee.

Each EDI message shall include the minimum data elements as described elsewhere in this Appendix III.

The Terminal Operator has the right to ask the User to adopt an electronic signature system so to check the authenticity of EDI orders and messages received from the User and its Servant, Agents or Sub-contractors.

If any EDI messages are incomplete / incorrect resulting in the requirement of The Terminal Operator to manually correct / input User data into its' systems, then The Terminal Operator reserves the right to be reimbursed for expenses incurred via a " Missing Edifact Information " Fee.

Detailed information regarding UN/EDIFACT – EDI messages are provided in attachment 4 EDI Messages exchange

8. Damage and Claims

Claims Dept. claims.cict@contshipitalia.com Customer Service cict.customerservice@contshipitalia.com

8.1. Damage Communication

Specific procedures shall be adhered to:

- Containership Operations: The Terminal Operator will provide for any Ship call a document (Safety Recommendation and Safety Rules) describing the relevant requirements
- Damage during Receiving and Delivery: Any alleged loss / damage (to vehicle or Container, etc) shall be immediately reported to the Terminal Operator

The Terminal Operator shall not be responsible for damage claims that are not communicated in accordance with the above.

8.2. Claim Communication

Any claim, operative and/or administrative shall be sent to the Customer Service Office by fax or by email. Terminal Operator does not guarantee an answer if the claim/objection is sent or communicated to other offices.

9. General Information Requests

Customer Service cict.customerservice@contshipitalia.com

All general inquiries should be referred to the Customer Service Office in the first instance.

Various status, track and trace inquiries can be inquired via www.contshipitalia.com



10. Warehouse A4

Documentation cictdocumentation@contshipitalia.com

From the moment in which an Import Container is stored in the Container Terminal, it is assigned, by Italian laws, to a custom temporary custody status defined “Warehouse A3”. The maximum period of time in which Container shall be stored in “Warehouse A3” it is 90 days (otherwise specified by the local competent authority).

If the time is exceeded, and no other custom destination is given for that specific import Container the Terminal Operator, by law, shall transfer the status of the Container to “Warehouse A4”.

In order to perform this operation the Terminal Operator shall:

- Be provided by the User a copy of the Bill of Lading
- Perform all custom formalities, comprehensive of issuing of IM7 document.
- Transfer the status of Container to the Warehouse A4
- Will inform the User when this operation is concluded
- Transfer the Container to the inspection area on request of the competent authority

The Container will be released only if the User will perform the custom formalities and will present, to the Terminal Operator, a copy of the relevant documentation (import declaration IM4 or other valid custom document).

11. ISPS Requirements and Safety procedures , Terminal Area admittance

11.1. Security

The Port Facility applies a Port Facility Security Plan approved by the Designated Authority in accordance with the ISPS Code as implemented by EU Regulation 725/2004 and according to the criteria applied under the National Program for Maritime Security.

The name inside door Facility CICT: ITCAG 0003

The official approval of the Port Facility Security Plan can be verified through the GISIS system (Global Integrated Shipping Information System) at <http://gisis.imo.org>

The Port Facility Security Plan contains, as required by international regulations, all instructions aimed at:

- Determine in which cases a Document of Security (DoS) has to be issued
- Access Control
- Monitoring of the port facility
- Restricted Areas
- Handling of cargo
- Ship's Stores
- Security's Communications



Details of Port Facility Security Officer and his Deputy, are available on the Directory (see paragraph 16 Attachment 3: Terminal Directory)

The competent office (will provide the operational information and procedures related to the items listed above, and will update the information when needed.

11.2. Safety

The Terminal Operator at all times renders service in full compliance of all statutory legislation in respect of safety and health at work

In this context Terminal Operator and the User, its agent and sub-contractors, shall cooperate to maintain high security standards, exchange of all vital information concerning the risk assessments, preventive measures and emergency management.

For this purpose, for each Ship operated in the Container Terminal, the Terminal Operator shall provide to the Ship's command a document known as "General recommendations and safety rules" which contains:

- Risks present in the Container Terminal to which the crew member may be exposed
- Obligations and prohibitions that crew members are required to comply with
- Check list, known as the "Master Declaration", in which the Ship's command is required to give information of all risks existing on board of the Ship, to which personnel of the Terminal Operator may be exposed whilst working on board.

For any risk not reported by the Ship, the Terminal Operator may be liable to suspend operations and services at the sole risk and expense of the User, for the purpose of a further risk analysis assessment.

Any such risk analysis assessment shall be performed by the Terminal Operator and Ship command, who shall determine and implement the most appropriate measures to eliminate or to reduce such risks.



12. Summary of Data Interchange Requirements

12.1. Documents to be issued by User or Terminal Operator

List of information to be issued by the Terminal Operator and the User in order to ensure efficient Terminal Operation and dispatch of Containership as outlined in the clauses of the Terminal Contract:

Berth Planning Dept.

Data/Document	Issued by (person / Dept. in charge)	To	Time frame	Notes
Long Term Schedule	User	Berth Planning Dept.	Monthly	
Ship Schedule	User	Berth Planning Dept.	Weekly	
Final E.T.A.	User	Berth Planning Dept.	36 Hrs prior Ship arrival	
Any change of E.T.A.	User	Berth Planning Dept.	To be communicated immediately	
Estimated number of Moves (load, discharge, restows and info of special Cargo, e.g. HAZARDOUS reefer, OOG, Break Bulk)	User	Berth Planning Dept.	72 Hrs prior Ship arrival	
Estimated number of Moves (load, discharge, restows and info of special Cargo, e.g. HAZARDOUS reefer, OOG, Break Bulk)	User	Berth Planning Dept.	36 Hrs prior Ship arrival	
Preliminary Berthing Prospect	Berth Planning Dept.	Line / Agency	24 Hrs prior Ship arrival	
Final Berthing Prospect	Berth Planning Dept.	Line / Agency	When total number of moves and Ship Cargo split available	
Mooring Programme	Berth Planning Dept.	Cagliari Port Services	According to CICT gang calling pattern time table	

Ship Planning Dept

Documentation Exchange	Issued by (person / Dept. in charge)	To	Time frame	Notes
Import/Export stowage plan on a bay and row basis	User/ Tonnage Centre	cdi@contshipitalia.com and Ship Planning Dept.	At least 48 Hrs prior Ship arrival	
Stowage instruction (Letter Plan)	User/ Tonnage Centre	Ship Planning Dept.	At least 48 Hrs prior Ship arrival	
Shifting / Restow instructions	User/ Tonnage Centre	Ship Planning Dept.	At least 48 Hrs prior Ship arrival	
Special Container list	User/ Tonnage Centre	Ship Planning Dept.	At least 48 Hrs prior Ship arrival	
Break-bulk stowage instructions, if any	User/ Tonnage Centre	Ship Planning Dept.	At least 72 Hrs prior Ship arrival	
Preliminary Stowage Plan	Ship Planning Dept.	Tonnage Center	Before Ship departure	Upon specific request of Line Planner

Preliminary Ship Working prospect	Ship Planning Dept.	Tonnage Center	When total number of moves and Ship Cargo split available	Ship Berthing prospect to be finalized by CICT Berth Planning Dept. according to final info received and to CICT gang calling pattern time table
Final Stowage Plan	Ship Planning Dept.	Tonnage Center	After Ship departure	
Restows account request (if any and not already indicated on restow list)	Ship Planning Dept.	Tonnage Center	After Ship departure	

Documentation Dept.

Documentation Exchange	Issued by (person / Dept. in charge)	To	Time frame	Notes
Receiving of Containers: Weigh certificate if requested to weigh Container	Doc Dept	Requesting Party	Upon request	
Discharging Information	User	Documentation Dept.	At least 24 Hrs prior Ship arrival	
Loading Information	User	Documentation Dept.	At least 36 Hrs prior Ship arrival	
Discharging and Loading Final confirmation	Doc Dept	User / Agency	Upon Ship departure	
Customs documents	User	Documentation Dept.	At least 24 Hrs prior Ship arrival	
Delivery Order	User	Documentation Dept. / Gate	not later than 17:00 hrs of the day preceding the delivery	
Sticker and Seal	User	Documentation Dept.	NIL	
Interchange Receipt	Gate	User	After delivery of Container	

Note: "User" needs to be specifically indicated by shipping line



13. EDI messages exchange

13.1. Contractual

SHIP PLANNING		
Name	Function	Version
BAPLIE	Bayplan	2.2
MOVINS	Stowage instructions	1.5-2.0

CONTAINER MESSAGES		
Name	Function	Version
Codeco	Gate in/out report	1.6
Coreor	Release order	1.2-1.4
Coarri	Load/discharge report	1.6
Coprar	Load/discharge order	1.6
Coparn	Pre arrival notification (booking)	1.6
Vermas	Verified gross mass message	1.0

To be confirmed by EDI Team if message can be received by CICT

13.2. Non contractual

VARIOUS		
Name	Function	Version
TPFREP	Performance report	2.0-3.0
INVOIC	Invoice message	1.0



14. Attachment 1: Holidays, Closing Time, Start Operation and Gangs Calling Requirement

- Holidays and Pre-Holidays shifts during which no work is available

From 24th December 19.00 until 25th December 19.00

From 31st December 19.00 until 1st January 19.00

- Other Working Holidays

January 6th, October 30th (Local Holiday), Eastern Sunday, Eastern Monday, April 25th, June 2nd, August 15th, November 1st, December 8th, December 26th

CLOSING TIME

Truck working hours

FCL Containers will be made available to the receivers within 12 hours after Container Ships' completion of operations (Saturdays, Sundays, holidays excluded).

Receiving/Delivering of trucks at the Container Terminal Gate:

Monday to Friday	07.00 - 19.00
Saturday	07.00 – 13.00
(Sundays/holidays excluded)	

Terminal Ship working shifts

All days:	1 st shift	01.00 - 07.00
	2 nd shift	07.00 - 13.00
	3 rd shift	13.00 – 19.00
	4 th shift	19.00 – 01.00

Gang calling patterns

From Tuesday to Saturday	1 st	previous day 10.00
	2 nd 3 rd and 4 th	previous day 16.00

Sunday/holidays and Monday	all shifts	previous working day 11.00
----------------------------	------------	----------------------------

Customs Offices opening times:

- Monday to Friday: 09.00 - 12.30 / 15:30 – 17:30

- Saturday: 09.00 – 13.00

- Overtime: depending on necessities, to be agreed with Customs 48 Hrs before

15. Attachment 2: General Conditions for Discharging/Loading IMO Cargoes

HAZARDOUS CLASS	MAX. NBR OF CNTRS ADMITTED	RESTRICTIONS
CLASS 1.1		TRANSIT ONLY
CLASS 1.2		NOT ALLOWED
CLASS 1.3		NOT ALLOWED
CLASS 1.4	MAX 12 UNITS	
CLASS 1.5		NOT ALLOWED
CLASS 1.6		NOT ALLOWED
CLASS 5.2	MAX 24 UNITS	
CLASS 6.2		NOT ALLOWED
CLASS 7		NOT ALLOWED
TANKS	MAX 636 UNITS	

Exceptionally, under special Authority authorization, some time are allowed few units loaded with pharmaceutical goods/medical equipment classified under above classes.





16. Attachment 3: Terminal Directory

Please refer to www.contshipitalia.com for the relevant contact details, department, telephone directory and e-mail addresses.

